

Corrosion And Conservation Of Cultural Heritage Metallic Artefacts 26 Corrosion Inhibitors For The Preservation Of Metallic Heritage Artefacts European Federation Of Corrosion Efc Series

Metallographic investigations may be an essential component in the search for authenticity and fabrication technology. Assessing how an artefact is made may involve metallographic examination, usually entailing the removal of a small sample from the object concerned. Examples of the use of metallography are discussed with reference to copper alloys, high-tin bronzes, Chinese bronze mirrors, copper plaques, iron and steels, and plated or coated metals, such as depletion gilded surfaces or those covered with gold foil or other metals. The different types of features which metallography can reveal concerning ancient metallic structures are briefly discussed with several colour photomicrographs which illustrate the features described in this chapter. The importance of metallography as one component of the scientific tools to aid in the determination of authenticity of ancient metallic artefacts is stressed, and an example given of old electrotypes from the Victoria and Albert Museum. Important literature references are provided to direct the reader to more detailed studies on the subject.

'Artistic/intentional' patina is a surface layer intentionally produced by an artist or a specialized professional on a metallic artwork with aesthetic or practical purposes. From the science of surfaces point of view the 'artistic' patina could be considered as an interface between the metallic substrate and the external environment and therefore affecting, depending on its physical and chemical peculiarities, the corrosion process. In order to understand how the 'artistic' patina behaves inside the exposure environment, an experimental activity was carried out: the study of the data collected with the application of different analytical techniques contributed to a more pertinent knowledge of the characteristics of metallic works of art which, in turn, leads to a restoration process respecting their real nature.

The use of silver in ancient civilisations of Mesopotamia, Egypt, Ionia, Greece, Rome and China is presented. Principles of silver corrosion in different environments containing humidity, oxygen, carbonates, sulphur, chlorides, peroxides, ozone and UV, and the morphology of the corrosion layers are described. Cleaning, anti-tarnishing and protection methods are explained. Inhibitor hexadecanethiol (HDT) and a composite coating of Paraloid B-72 containing 2% nano-alumina pigment are tested on silver specimens with tarnished and corroded surfaces and found to be protective when exposed in sulphides and chloride environments in the laboratory, satisfying aesthetic and reversibility criteria.

From 2nd to 5th October 2012 an International Congress on Science and

Technology for the conservation of Cultural Heritage was held in Santiago de Compostela, Spain, organized by the Universidade of Santiago de Compostela on behalf of TechnoHeritage Network. The congress was attended by some 160 participants from 10 countries, which presented a tot

This chapter discusses the importance of using standards in conservation methodology and practice for cultural heritage (CH) metals. The past general trend in the field is the use of metal industry standards. The chapter surveys the relevant scientific publications, and concludes that conservation researchers use a variety of these standards adopted by different organisations. As a result, it can be difficult to compare scientific data for CH metal studies carried out by different laboratories. The chapter discusses the necessity to draft new standards for metals specific for CH by examining how three independent researchers had different findings when testing the same coating. The role of CEN/TC 346 'Conservation of Cultural Heritage' is also discussed.

This chapter discusses the evaluation of metal conservation treatments using a specialized electrochemical cell. The cell can be deployed in a synchrotron beam line to make in-situ, time-lapse measurements on heritage metal alloys undergoing processes based on electrochemical treatments/measurements. We focus on two specific projects: (1) the evaluation of currently used stabilization processes for cupreous objects recovered from marine environments, and (2) the development and testing of a coating to protect lead objects which is stable, reversible (i.e. easy to apply and to remove), protective against corrosion and aesthetically justified.

Oxygen is a key factor in corrosion and decay of artefacts from our cultural heritage. The measurement of oxygen concentrations and quantification of oxygen consumption is therefore extremely useful in both corrosion and conservation science. This chapter focuses on two aspects of oxygen monitoring: first, measurement of oxygen consumption of cultural heritage artefacts to evaluate their corrosion rate and the efficiency of conservation treatments, and second, measurement of oxygen concentration in the burial environment to evaluate the preservation conditions and understand the formation of different corrosion products in situ. The chapter includes a short description of equipment for oxygen measurement, and gives some examples of its use for monitoring purposes.

Relationships between conservation and corrosion scientists are assessed and similarities, differences and synergies identified. Corrosion control as a preservation option for heritage metals is advocated as being cost-effective and pragmatic. This will require generation of data to develop predictive conservation and estimation of object lifespan as a function of their intrinsic and extrinsic variables. Methods for quantitative determination of corrosion rates of chloride infested heritage iron and techniques for scaling to heritage value are discussed. The iron hull of the ss Great Britain and an AHRC/EPSRC Heritage Science Research Programme at Cardiff University are used to illustrate the rationale

behind using corrosion control in heritage.

The conservation of metallic archaeological and historic artefacts is a major challenge whether they are ancient bronzes or relics of our more recent industrial past. Based on the work of Working Party 21 Corrosion of Archaeological and Historical Artefacts within the European Federation of Corrosion (EFC), this important book summarises key recent research on analytical techniques, understanding corrosion processes and preventing the corrosion of cultural heritage metallic artefacts. After an introductory part on some of the key issues in this area, part two reviews the range of analytical techniques for measuring and analysing corrosion processes, including time resolved spectroelectrochemistry, voltammetry and laser induced breakdown spectroscopy. Part three reviews different types of corrosion processes for a range of artefacts, whilst part four discusses on-site monitoring techniques. The final part of the book summarises a range of conservation techniques and strategies to conserve cultural heritage metallic artefacts. Corrosion and conservation of cultural heritage metallic artefacts is an important reference for all those involved in archaeology and conservation, including governments, museums as well as those undertaking research in archaeology and corrosion science. Summarises key research on analytical techniques for measuring and analysing corrosion processes Provides detailed understanding of corrosion processes and corrosion prevention Discusses on-site monitoring techniques

This chapter deals with an overview of the application of plasma technologies, an innovative environmentally friendly class of processes for the surface modification of materials, for cleaning and protection of metallic artefacts. Examples of plasma enhanced chemical vapour deposition (PECVD) of organosilicon precursors are described and appear particularly promising for the corrosion protection of the different metallic substrates such as iron-based alloys, copper and silver-based alloys of archaeological and historical-artistic interest. This chapter describes the recent advances in corrosion protection afforded by the use of ultra-thin organic films such as polymer films and self-assembled monolayers. Emphasis is given to the metal surface modification by self-assembled monolayers of carboxylic acids due to their properties and ability to protect metallic artefacts.

At head of title: European Commission, protection and conservation of European cultural heritage. Technologies to protect and rehabilitate European cultural heritage, a research area funded by the EC R&D programme "Environment and climate".

This chapter introduces the techniques used when investigating corrosion layers formed on cultural heritage artefacts. Various multiscale analysis methods, from macroscopic to nanoscopic scales, are presented. Information on the morphology, the elementary composition and the crystalline structure that each method allows for determining the constituents of the corrosion layers is examined, as well as their limits in terms of set-up, spatial and detection

resolution. This chapter discusses the characteristics of the scientific tools that can be used to understand corrosion phenomena, by taking into account the major parameters responsible for alteration mechanisms.

Europe has a rich industrial cultural heritage, including technical objects and industrial sites. This chapter discusses basic types of metallic objects of industrial cultural heritage including their material properties and surface treatments from the point of view of corrosion behaviour in specific atmospheric conditions to which they are exposed. The general principles of conservation ethics and problems of these types of cultural heritage are mentioned. Two case studies of evaluation of condition of typical industrial cultural objects are given.

This book mostly contains contributions by the invited lecturers at the 7th International Conference on Non-Destructive Testing and Micro-Analysis for the Diagnostics and Conservation of the Cultural and Environmental Heritage. The contributors have all been chosen for their individual reputations and the quality of their research, but also because they represent a field deemed highly important. Hence, this book give balanced coverage of the areas that are most relevant in non-destructive testing and micro-analysis in the realm of cultural heritage. The analysis methods provide the clinical composition of cultural artifacts to elucidate their provenance, the rate of alteration as a result of exposure to the environment and the effectiveness of conservation and restoration strategies. The techniques are partially or fully non-destructive, are portable, or allow study of different parts of a heterogeneous work of art.

This chapter reviews the applicability and specific uses of corrosion inhibitors in metal conservation practice. Corrosion inhibitors are one of the different methods used by conservation-restoration professionals to preserve metallic cultural heritage. In the first part, specific requirements and needs for corrosion inhibitors in conservation treatments are reviewed, as well as the different methods for the assessment of their efficiency. The second part of the chapter reviews the different inhibitors used by type of metals: copper and its alloys, iron and its alloys, and other metals (including silver, lead and zinc), from traditional ones to state-of-the-art treatments.

This chapter reviews and summarises the results of experiments using a new technique known as 'subcritical' for the stabilisation of archaeological iron. Five case studies are presented that illustrate the capacity of this technique to rapidly remove entrapped chloride ions from unstable metal with minimal observable changes to the objects' integrity. This overview focuses on the effectiveness of this treatment from a conservation and preservation perspective. The benefits and current limitations of the technique are identified, as well as important areas where there is a need for further research.

Understanding the long-term corrosion mechanisms of iron in an anoxic environment is essential in the field of the preservation of archaeological heritage artefacts and nuclear waste management. Corrosion mechanisms have been assessed by examining nails 400 years old from the archaeological site of Glinet. This chapter provides an overview of the characterisation of the entire corrosion system environment/samples through coupled multiscale analytical tools. The environment is anoxic, calco-carbonated and water-saturated. Three corrosion patterns composed of ferrous carbonates (siderite and chukanovite) and

magnetite have been identified. Depending on the connection between the phases and their location, the electronic properties of the corrosion layers have been established. The electrochemical behaviour of the corrosion system shows that water reduction at the metallic interface is negligible. Furthermore, the electron consumption sites are mainly localised on the external part and the precipitation sites on the internal part of the corrosion layer. The corrosion rate is estimated to be less than $2\text{ }\mu\text{m/year}$ and a corrosion mechanism is proposed based on a decoupling of the anodic and cathodic sites and on the existence of a nanometric corrosion layer at the metallic interface.

The basic principles of corrosion and electrochemistry are briefly summarised to indicate the capabilities of electrochemical techniques in diagnostic and conservation of heritage metals. The basic elements of each electrochemical measurement – cell, electrolyte, instrumentation – are schematically illustrated in the specific application to cultural heritage. The different measurement techniques are reviewed, divided into three groups: (1) potential measurements; (2) DC techniques; (3) AC techniques. The aims and fields of application are discussed, reporting several examples of specific applications in the field of cultural heritage.

In the present chapter laser-induced breakdown spectroscopy (LIBS) is introduced as a powerful spectrochemical analytical technique that can be exploited to characterize corroded artifacts. Scientific and technological aspects of LIBS are briefly presented. LIBS does not need sample preparation, it is nondestructive and it can be used for in-situ measurements. Examples of LIBS applications that can help archaeologists in conservation and restoration of metallic artifacts are given. We demonstrated the use of LIBS in analysis of corroded metal threads, depth profiling of copper-based decorative artefact, analysis of corroded Punic coins, and LIBS and XRF analysis of Roman silver denarii.

Electrochemical impedance spectroscopy (EIS) is a powerful tool in developing the most appropriate methodology for ensuring long-lasting artefact preservation. EIS consists in the measurement of amplitude and phase of the surface impedance of coated metallic objects at different frequencies in order to highlight either the protective effectiveness of a coating or the stability of a corrosion product layer grown onto the metallic surface. Two in-situ EIS measuring campaigns are described together with the description of the portable instrument and the measuring probes specifically designed and developed for cultural heritage applications.

"Conservation of Cultural Heritage covers the methods and practices needed for future museum professionals who will be working in various capacities with museum collections and artefacts. It also assists current professionals in understanding the complex decision making processes that faces conservators on a daily basis. Covering a broad range of topics that are key to sound conservation in the museum, this volume is an important tool for students and professional alike in ensuring that best practice is followed in the preservation of important collections"--

This book reviews the sources of the air pollutants responsible for building damage and the mechanisms involved. Studies investigating the relationships between pollution concentration (dose) and the resulting damage (response) are described and the latest research findings for dose-response functions are presented. Trends in pollutant emissions, ambient concentrations and building damage over time are described and future predictions are presented.

Methodologies for assessing the extent of the potential problem in a region – the stock at risk – are presented. Procedures for estimating the economic implications are described and the consequences are discussed in detail, because economic factors are important for reaching policy and management decisions at local, national and international scales. Damage to cultural heritage buildings is an important additional effect which needs to be considered as the standards are revised and the factors which will need to be brought into the assessment are presented.

This chapter attempts to address monitoring problems from a wider point of view than is usual in the cultural heritage field. It discusses the issues connected to variations of space and time in the measured quantities. Some differently structured systems which can be employed in designing a monitoring infrastructure are discussed and a case study is reported to illustrate the practical application of general guidelines.

This chapter deals with the description of suitable and innovative solutions devoted to preserve metallic artefacts in their original contexts, underwater cultural heritage sites of archaeological and historical interest, as well as with the analysis of the degradation processes of ferrous and non-ferrous artefacts induced by contact with an aggressive environment such as sea water. The chapter also provides an overview of the most common conservation strategies applied to recovered artefacts.

Modelling and electrochemical simulation of corrosion confirms that the decay rate of iron shipwrecks is cathodically controlled by the flux of dissolved oxygen. The rate falls logarithmically with increasing water depth with splash zone corrosion rates at zero water depth. The interaction of corroding iron with the marine biota is complex and symbiotic. Corrosion rates are interdependent on the salinity and temperature of the surrounding seawater which determines the amount of dissolved oxygen. Monitoring the corrosion potentials and pH of wreck materials provides a very sensitive indicator of changes in environment brought about through natural or human intervention.

This chapter focuses primarily on the common environmental aspects of atmospheric metal corrosion. The effects of climate and pollution on corrosion are reviewed across various timescales, from damage over millennia to the present situation, including short descriptions of the indoor environment and recent developments in international standardisation. The chapter concludes with two sections on future trends in air pollution and climate change.

This open access book offers a comprehensive overview of the role and potential of microorganisms in the degradation and preservation of cultural materials (e.g. stone, metals, graphic documents, textiles, paintings, glass, etc.).

Microorganisms are a major cause of deterioration in cultural artefacts, both in the case of outdoor monuments and archaeological finds. This book covers the microorganisms involved in biodeterioration and control methods used to reduce their impact on cultural artefacts. Additionally, the reader will learn more about how microorganisms can be used for the preservation and protection of cultural artefacts through bio-based and eco-friendly materials. New avenues for developing methods and materials for the conservation of cultural artefacts are discussed, together with concrete advances in terms of sustainability, effectiveness and toxicity, making the book essential reading for anyone interested in microbiology and the preservation of cultural heritage. .

Corrosion and conservation of cultural heritage metallic artefacts1. Introduction: conservation versus laboratory investigation in the preservation of metallic heritage artefactsElsevier Inc. ChaptersCorrosion and conservation of cultural

heritage metallic artefacts²². The role of standards in conservation methods for metals in cultural heritage Elsevier Inc. Chapters

This chapter gives general information on the production of sol-gel coatings with alkoxysilanes. Some examples of their application on outdoor bronze artefacts are reported. The protective effects of 3-mercaptopropyltrimethoxysilylpropane (Prop-SH) hydroalcoholic solution on polished and patinated bronzes were studied. Electrochemical tests, performed in acidic artificial rain (AAR, pH 3.1) and in 5% NaCl solution for 168h, were checked in 45d AAR Salt Cabinet and in 30d ASTM B117 Test on bronze statues. The treatment with Prop-SH showed high efficiency towards the corrosion both in AAR and in 5% NaCl.

Conservation Science is a rather innovative application of instrumental analysis with steadily increasing importance. Although the first attempts for preserving material from the cultural heritage on a scientific basis are found in the 19th century pioneer chemistry years, only the use of sophisticated physicochemical techniques results in effective identification and deterioration studies of monuments and objects, and in reliable intervention procedures. This volume allows to gain solid knowledge and improved skills on the ways separation schemes and diagnostic methodologies are applied in the safeguarding and authentication of tangible works of art; as well as on the modes of implementing novel safeguarding practices built on well-established principles – such as the use of laser in the decontamination of objects. All techniques are covered at a state-of-the-art level; while selected applications permit addressing major groups of materials and artefacts. Conservation Science is nowadays taught at master's level in all developed countries, and museum laboratories increasingly adopt scientific approaches in their restoration initiatives. The book is intended as a valuable tool for students and professionals active in these frames. In addition, it provides an indispensable manual for participants in the specialized intensive courses, which are systematically offered by the authors under the auspices of the relevant European network.

This practical guide provides artists, conservators, curators, and other heritage professionals with tools for understanding, evaluating, and approaching the care and treatment of modern metals. The proliferation of new metals—such as stainless steels, aluminum alloys, and metallic coatings—in modern and contemporary art and architecture has made the need for professionals who can address their conservation more critical than ever. This volume seeks to bridge the gap between the vast technical literature on metals and the pressing needs of conservators, curators, and other heritage professionals without a metallurgy background. It offers practical information in a simple and direct way, enabling curators, conservators, and artists alike to understand and evaluate the objects under their care. This invaluable reference reframes information formerly found only in specialized technical and industrial publications for the context of cultural heritage conservation. As the first book to address the properties, testing, and maintenance issues of the hundreds of metals and alloys available since the

beginning of the twentieth century, it is destined to become an essential resource for conservators, artists, fabricators, curators, collectors, and anyone working with modern metals.

Archaeologists and conservators have contributed their latest research papers to felicitate Sri A.S. Bisht who retired as Head of the conservation laboratory of the National Museum, New Delhi, and is one of the senior most archaeological chemists in the country. The methods of preservation explained would be very useful to professional archaeological chemists

Current research into the removal of soluble chloride corrosion drivers from archaeological iron by deoxygenated aqueous alkaline treatments is described and assessed, along with suggestions for future work. The problems of how to determine treatment success are discussed, along with the impact of treatment unknowns, such as chloride form and location within iron objects, on the assessment techniques. Post-treatment residual chloride is shown to be the best measure of treatment effectiveness and methods for assessing this are described. A real-time study of oxygenated and deoxygenated treatment mechanisms and corrosion product transformations using micro X-ray diffraction is reported.

This chapter discusses the application of the voltammetry of microparticles, a solid-state electrochemical technique, to the field of corrosion of archaeological metal. Identification of metals and alloys, identification, mapping and layer-by-layer analysis of corrosion products on metal surfaces using this technique are described. Applications include quantification of components of alloys and corrosion layers, and evaluation of metal conservation and the kinetics of long-term corrosion processes. Specific applications in archaeometry, conservation and restoration include authentication and dating.

This work collects the contributions presented at the INdAM Workshop "Mathematical modeling and Analysis of degradation and restoration in Cultural Heritage - MACH2019" held in Rome in March 2019. The book is focused on mathematical modeling and simulation techniques with the aim of improving the current strategies of conservation and restoration in cultural heritage, sharing different experiences and approaches. The main topics are: corrosion and sulphation of materials, damage and fractures, stress in thermomechanical systems, contact and adhesion problems, phase transitions and reaction-diffusion models, restoration techniques, additive manufacturing. The final goal is to build a permanent bridge between the experts in cultural heritage and the mathematical community. The work is addressed to experts in cultural heritage and to mathematicians.

[Copyright: ab7266b99c570b6e80fdd0cae536cbfe](https://doi.org/10.1007/978-94-007-5366-6)